
























**SHENZHEN ZHIBOTONG ELECTRONICS**








ADD:4F,Bldg A2,Hedian Industrial Park,NO.8 Shijing Rd,Guanlan,Longhua District, ShenZhen,China

Mobile:+86 13723728356(wechat) TEI: 81472185 ext.8070 FAX:+86-755-29567380 Contact: Jenny

WEB: <http://www.zbtlink.com> <http://zbt.en.alibaba.com> mail([skype](mailto:zbt02@zbt-china.com)): zbt02@zbt-china.com**Catalogue**

Model	Description	Picture	Flash/RAM	Remark
Wifi Router				
ZBT-WE1226	Wifi Router (MT7628N chipset)		8M FLASH/64M RAM	1.Chipset:MT7628NN 2.Flash/RAM: 8M/64M 3.Work frequency:2.4GHz 4.Wireless Rate:300Mbps 5.System:Openwrt 6.LAN Ports:2 7.WAN Ports:1 8.Power supply:DC9V/0.6A
ZBT-WE526	Wifi Router (MT7620N chipset)		8M FLASH/64M RAM	1.Chipset:MT7620N 2.Flash/RAM: 8M/64M 3.Work frequency:2.4GHz 4.Wireless Rate:300Mbps 5.System:Openwrt 6.Size:140*85*25mm 7.LAN Ports:4 8.WAN Ports:1 9.Power supply:DC 9V/0.6A 10.USB: 2.0 port
ZBT-WE2226	Wifi Router (QCA9531 chipset)		8M FLASH/64M RAM	1.Chipset:QCA/MTK series 2.Flash/RAM: 8M/64M 3.Work frequency:2.4GHz 4.Wireless Rate:300Mbps 5.System:Openwrt 6.Size:140*85*25mm 7.LAN Ports:4 8.WAN Ports:1 9.Power supply:DC 9V/0.6A 10.USB: 2.0 port
ZBT-WE1626	Wifi Router (MT7620N chipset)			
ZBT-WE2826	Wifi Router (QCA9531 chipset)		8M FLASH/64M RAM	1.Chipset:QCA/MTK series 2.Flash/RAM: 8M/64M 3.Work frequency:2.4GHz 4.Wireless Rate:300Mbps 5.System:Openwrt 6.Size:64*64*30mm 7.LAN Ports:4 8.WAN Ports:1 9.Power supply:9V/0.6A
ZBT-WE3426	Wifi Router (MT7628N chipset)			
ZBT-WR8305RT-B	Wifi Router (MT7620N chipset)		8M FLASH/64M RAM	1.Chipset:MT7620N 2.Flash/RAM: 8M/64M 3.Work frequency:2.4GHz 4.Wireless Rate:300Mbps 5.System:Openwrt 6.Size:220*134*31mm 7.LAN Ports:4 8.WAN Ports:1 9.Power supply:DC 9V/0.6A
ZBT-WE3026	300M Wifi Router (QCA9531 chipset)		8M FLASH/64M RAM	1. preloaded openWRT system, 2. complies with IEEE802.11n/b/g standards, 3. With PA 4. 10/100Mbps 4 LAN +1 WAN port,1*USB2.0 port, 5. 219.5*130.5*31mm 6. 2.4G 300Mbps
ZBT-WE3826	Wifi Router (MT7620N chipset)		8M FLASH/64M RAM	1.Chipset:MT7620N 2.Flash/RAM: 8M/64M 3.Work frequency:2.4GHz 4.Wireless Rate:300Mbps 5.System:Openwrt 6.Size: 7.LAN Ports:4 8.WAN Ports:1 9.Power supply:DC 9V/0.6A
ZBT-WE4426	Wifi Router (QCA9531 chipset)		16M FLASH/128M RAM	1.Chipset:QCA9531 2.Flash/RAM: 16M/128M 3.Work frequency:2.4GHz 4.Wireless Rate:300Mbps 5.System:Openwrt 6.Size:245*120mm 7.LAN Ports:4 8.WAN Ports:1 9.Power supply:DC 12V/1A
Dual Band Wifi Router				
ZBT-WPE357	Dual Band Wifi Router (MT7620A+7612E chipset)		16M FLASH/128M RAM	1.Chipset:MT7620A+MT7612E 2.Flash/RAM: 16M/128M 3.Work frequency:2.4GHz+5.8GHz 4.Wireless Rate:1200Mbps 5.System:Openwrt 6.Size:109*172mm 7.LAN Ports:4 8.WAN Ports:1 9.Power supply:DC 12V/1.5A
ZBT-WE2216-5G	AC1200Mbps dual band 802.11AC (QCA9531 chipset)		16M Flash/128M RAM	1. preloaded openWRT system, 2. complies with IEEE802.11ac/n/b/g standards, 3. one USB2.0 port, 4. 10/100Mbps 4 LAN +1 WAN port, 5. support 11AC, 6. 2.4G 300Mbps, 5.8G 900Mbps
ZBT-WE2426	Dual band 802.11AC (MT7628AN+7612E chipset)		8M FLASH/64M RAM	1. preloaded openWRT system, 2. complies with IEEE802.11ac/n/b/g standards, 3. one SD card slot+USB2.0 port, 4. 10/100Mbps 4 LAN +1 WAN port, 5. support 11AC, 6. 2.4G 300Mbps, 5.8G 900Mbps

ZBT-WE4626-BKC	AC1200Mbps dual band 802.11AC (MTK7628AN+7612E chipset)		8M FLASH/64M RAM	1. preloaded openWRT system, 2. complies with IEEE802.11ac/n/b/g standards, 3. one SD card slot+USB2.0 port, 4. 10/100Mbps 4 LAN +1 WAN port, 5. support 11AC, 6. 2.4G 300Mbps, 5.8G 900Mbps
ZBT-WE5126	AC1200Mbps dual band 802.11AC (MTK7628AN+7612E chipset)		8M Flash/64M RAM	1. preloaded openWRT system, 2. complies with IEEE802.11n/b/g standards, 3. one SD card slot+USB2.0 port, 4. 10/100Mbps 4 LAN +1 WAN port 5. 2.4G 300Mbps, 5.8G 900Mbps
Gigabit Dual Band Wifi Router				
ZBT-WG108-KC	AC1200Mbps Gigabit dual band 802.11AC (MT7621 chipset)		16M FLASH/64M RAM	1. preloaded openWRT system, 2. complies with IEEE802.11ac/n/b/g standards, 3. one SD card slot+USB2.0 port, 4. 10/100Mbps 4 LAN +1 WAN port, 5. support 11AC, 6. 2.4G 300Mbps, 5.8G 900Mbps
ZBT-WE4726	AC1200Mbps Gigabit dual band 802.11AC (MTK7621A chipset)		16M Flash/128M RAM	1. preloaded openWRT system, 2. complies with IEEE802.11n/b/g standards, 3. one SD card slot+USB2.0 port, 4. 10/100/1000Mbps 4 LAN +1 WAN port 5. 2.4G 300Mbps, 5.8G 900Mbps
ZBT-WE3526	AC1200Mbps Gigabit dual band 802.11AC (MT7621 chipset)		16M Flash/256M RAM	1. preloaded openWRT system, 2. complies with IEEE802.11ac/n/b/g standards, 3. one SD card slot+USB2.0 port, 4. 10/100/1000Mbps 4 LAN +1 WAN port, 5. support 11AC, 6. 2.4G 300Mbps, 5.8G 900Mbps
3G/4G Wifi Router				
ZBT-WE5926	300M WIFI router,4 undetachable Antennas (MTK7628AN+7612E chipset)		8M Flash/64M RAM	1. preloaded openWRT system, 2. complies with IEEE802.11n/b/g standards, 3. one SD card slot+sim slot, 4. 10/100Mbps 3 LAN +1 WAN port 5. 2.4G 300Mbps
ZBT-WE826-T	300M WIFI router,4 External Antennas (MT7620A chipset)		16M FLASH/128M RAM	1. preloaded openWRT system, 2. complies with IEEE802.11n/b/g standards, 3. Power: 100mW, 4. 10/100Mbps 4 LAN + 1 WAN port, 5. USB2.0 port + SD card slot, 6. support 3G/4G, with SIM card slot, 7. with 3G/4G, total 4 antennas, without 3G/4G, total 2 antennas. 8. support watchdog feature if you need.
ZBT-WE3926	300M WIFI router,4 External Antennas (MT7620A chipset)		16M FLASH/128M RAM	1. preloaded openWRT system, 2. complies with IEEE802.11n/b/g standards, 3. 2.4G 300Mbps, 4. 10/100Mbps 4 LAN + 1 WAN port, 5. USB2.0 port + SD card slot, 6. support 3G/4G, with SIM card slot, 7. with 3G/4G, total 4 antennas
ZBT-WE1026-2.4G	300M vehicle wifi route (MT7620A chipset)		16M FLASH/128M RAM	1. preloaded openWRT system, 2. complies with IEEE802.11n/b/g standards, 3. one SD card slot + SIM card slot, 4. 2.4G 300Mbps, 5. 10/100Mbps LAN port, 6. support 3G/4G 7. USB2.0 port, 8. special for car, bus, taxi, train etc. 9. support watchdog feature. 10. power supply range:9V-28V.
ZBT-WE1026-5G	Dual band vehicle wifi router,7 External Antennas (MT7620A chipset)		16M FLASH/128M RAM	1. preloaded openWRT system, 2. complies with IEEE802.11ac/n/b/g standards, 3. one SD card slot + SIM card slot, 4. 2.4G 300Mbps, 5.8G 900Mbps 5. 10/100Mbps LAN port, 6. support 3G/4G 7. USB2.0 port, 8. special for car, bus, taxi, train etc. 9. support watchdog feature. 10. power supply range:9V-28V.
ZBT-WE1026-H	Ooortdoor 300M WIFI router,4 External Antennas (MT7620A chipset)		16M FLASH/128M RAM	1. preloaded openWRT system, 2. complies with IEEE802.11n/b/g standards, 3. 2.4G 300Mbps, 4. 10/100Mbps 1 LAN + 1 WAN port, 5. USB2.0 port + SD card slot, 6. support 3G/4G, with SIM card slot,
ZBT-WE1326-KC	AC1200Mbps Gigabit dual band 802.11AC (MT7621 chipset)		16M Flash/256M RAM	1. preloaded openWRT system, 2. complies with IEEE802.11ac/n/b/g standards, 3. one SD card slot+USB2.0 port, one SIM card slot, 4. 2.4G 300Mbps, 5.8G 900Mbps 5. 10/100/1000Mbps 4 LAN +1 WAN port, 6. support 11AC, 7. 3G/4G, an option

ZBT-WG3526	AC1200Mbps Gigabit dual band 802.11AC (MT7621 chipset)		16M Flash/512M RAM	<ol style="list-style-type: none"> 1. preloaded openWRT system, 2. complies with IEEE802.11ac/n/b/g standards, 3. one SD card slot+USB3.0 port, one SIM card slot, one sata port 4. 10/100/1000Mbps 4 LAN +1 WAN port, 5. support 11AC, 6. 3G/4G, an option
ZBT-WD323	Dual sim card industrial wifi router (QCA9344 chipset)		16M Flash/128M RAM	<ol style="list-style-type: none"> 1. preloaded openWRT system, 2. complies with IEEE802.11n/b/g /3/3u standards, 3. Dual SIM LTE Industrial Router 4. PA: SKY85309 *2 5. 2 pcs 2.4GHz 5dbi WIFI Antenna, 4pcs LTE Antenna 6. 2*10/100Mbps LAN RJ45 Port; 1*10/100Mbps WAN RJ45 Port; 2*SIM Slot; 1*RS485; 1*RS232 4 Channel IO Output . With Latch Function; 1*RESET button ; 1*RTC Clock 1*Temperature Sensor ; 1*USB2.0 1*2.0 DC Port
Outdoor CPE				
ZBT-APG721	1KM Outdoor CPE (AR9331)		8M FLASH/64M RAM	<ol style="list-style-type: none"> 1. preloaded openWRT system, 2. complies with IEEE802.11n/b/g /802.3/802.3u standards, 3. 2.4G 150Mbps 4. 10/100Mbps 1 LAN + 1 WAN port, 5. 12V-18V POE power supply. 6. Directional PCB antenna
ZBT-APG621	2KM Outdoor CPE (AR9344-DC3A)		8M FLASH/64M RAM	<ol style="list-style-type: none"> 1. preloaded openWRT system, 2. complies with IEEE802.11n/b/g /802.3/802.3u standards, 3. 5.8G 300Mbps 4. 10/100Mbps 1 LAN + 1 WAN port, 5. 12V-18V POE power supply. 6. Directional PCB antenna
ZBT-APG521-D	3-5KM Outdoor CPE (AR9344-DC3A)		8M FLASH/64M RAM	<ol style="list-style-type: none"> 1. preloaded openWRT system, 2. complies with IEEE802.11a/n /802.3/802.3u standards, 3. 5.8G 300Mbps 4. 10/100Mbps 1 LAN + 1 WAN port, 1*Reset, 1*AP/Station 5. 12V-24V POE power supply. 6. Directional PCB antenna
ZBT-APG521-E	3-5KM Outdoor CPE (AR9344-DC3A)		8M FLASH/64M RAM	<ol style="list-style-type: none"> 1. preloaded openWRT system, 2. complies with IEEE802.11a/n /802.3/802.3u standards, 3. 5.8G 300Mbps 4. 10/100Mbps 1 LAN + 1 WAN port, 1*Reset, 1*AP/Station 5. 12V-24V POE power supply. 6. Directional PCB antenna
ZBT-AP522	Dual Band Ceiling AP (QCA9531+QCA9887 chipset)		16M Flash/128M RAM	<ol style="list-style-type: none"> 1. preloaded openWRT system, 2. complies with IEEE802.11ac/a/n/b/g standards, 3. 2.4G&5.8G 1200Mbps 4. Size: 200*195*140mm 5. LAN Ports: 1 , WAN Ports: 1 6. Power supply: POE :24V 1A DC: 12V 2A
<i>More new products in our company , please just inform me your requirements .</i>				